

Compendium of Actinobacteria from Dr. Joachim M. Wink  
University of Braunschweig

Strain		DSM 41926
Genus		<b><i>Streptomyces</i></b>
Species		<b><i>nanhaiensis</i></b>
Status		
Risk group		L1
Type strain		SCSIO 01248, CCTCC AA 208007, KCTC 19401
Reference		
Author		Tian, X. P., Long, L. J., Wang, F. Z., Xu, Y., Li, J., Zhang, J., Zhang, C. S., Zhang, S., Li, W. J.
Title		<i>Streptomyces nanhaiensis</i> sp. nov., a marine streptomycete isolated from a deep-sea sediment.
Journal		<i>Int J Syst Evol Microbiol</i>
Volume		<b>62</b> ( Pt 4 )
Page		864-868
Year		2012
Author		/
Title		Notification that new names and new combinations have appeared in volume 62, part 4, of the IJSEM.
Journal		<i>Int J Syst Evol Microbiol</i>
Volume		<b>62</b> ( Pt 7 )
Page		1446-1447
Year		2012
Morphology		
Agar	ISP 2 - growth/G	good
Agar	ISP 2 - colony color/R	sand yellow (1002)
Agar	ISP 2 - aerial mycelium/A	none
Agar	ISP 2 - soluble pigment/S	none
Agar	ISP 3 - G	good
Agar	ISP 3 - R	ivory (1014)
Agar	ISP 3 - A	sparse
Agar	ISP 3 - S	ivory (1014)
Agar	ISP 4 - G	good
Agar	ISP 4 - R	golden yellow (1004)
Agar	ISP 4 - A	cream (9001)
Agar	ISP 4 - S	none
Agar	ISP 5 - G	good
Agar	ISP 5 - R	sand yellow (1002)
Agar	ISP 5 - A	none
Agar	ISP 5 - S	none
Agar	ISP 6 - G	good
Agar	ISP 6 - R	sand yellow (1002)
Agar	ISP 6 - A	none
Agar	ISP 6 - S	none

Compendium of Actinobacteria from Dr. Joachim M. Wink  
University of Braunschweig

Agar	ISP 7 - G	good
Agar	ISP 7 - R	sand yellow (1002)
Agar	ISP 7 - A	sparse
Agar	ISP 7 - S	sand yellow (1002)
Agar	suter with tyrosine - G	good
Agar	suter with tyrosine - R	sand yellow (1002)
Agar	suter with tyrosine - A	none
Agar	suter with tyrosine - S	sand yellow (1002)
Agar	suter without tyrosine - G	good
Agar	suter without tyrosine - R	sand yellow (1002)
Agar	suter without tyrosine - A	cream (9001)
Agar	suter without tyrosine - S	ivory (1014)
	Sporechains/Sporangia	
Physiology		
Melanin		-
pH	range	
pH	optimum	
temperature	range	
temperature	optimum	
sodium chloride tolerance		10%
lysozyme tolerance		
use of carbohydrates	glucose	+
use of carbohydrates	arabinose	+
use of carbohydrates	sucrose	+
use of carbohydrates	xylose	++
use of carbohydrates	inositol	-
use of carbohydrates	mannose	-
use of carbohydrates	fructose	(+)
use of carbohydrates	rhamnose	+
use of carbohydrates	raffinose	-
use of carbohydrates	cellulose	-
Api zym	Phosphatase alkaline	5
Api zym	Esterase (C4)	3
Api zym	Esterase Lipase (C8)	3
Api zym	Lipase (C14)	1
Api zym	Leucin arylamidase	5
Api zym	Valine arylamidase	4
Api zym	Cystine arylamidase	0
Api zym	Trypsin	0
Api zym	Chymotrypsin	0
Api zym	Phosphatase acid	4
Api zym	Naphtol-AS-BI-phosphohydrolase	5
Api zym	alpha galactosidase	0
Api zym	beta galactosidase	0

Compendium of Actinobacteria from Dr. Joachim M. Wink  
University of Braunschweig

Api zym	beta glucuronidase	0
Api zym	alpha glucosidase	3
Api zym	beta GLUCOSIDASE	0
Api zym	N-acetyl-beta-glucoseamidase	0
Api zym	alpha mannosidase	0
Api zym	alpha fucosidase	0
Api coryne	nitrate reduction	+
Api coryne	Pyrazinamidase	-
Api coryne	Pyrrolidonyl arylamidase	-
Api coryne	Alkaline phosphatase	+
Api coryne	beta glucuronidase	-
Api coryne	beta galactosidase	-
Api coryne	alpha glucosidase	+
Api coryne	N-acetyl -beta glucoseamidase	-
Api coryne	Esculin (beta glucosidase)	+
Api coryne	Urease	-
Api coryne	Gelatine(hydrolysis)	+
Api coryne	Glucose fermentation	-
Api coryne	Ribose fermentation	-
Api coryne	Xylose fermentation	-
Api coryne	Mannitol fermentation	-
Api coryne	Maltose fermentation	-
Api coryne	Lactose fermentation	-
Api coryne	Sucrose fermentation	-
Api coryne	Glycogen fermentation	(+)
Metabolites		
Antimicrobial	Staphylococcus aureus	
Antimicrobial	Escherichia coli	
Antimicrobial	Micrococcus luteus	
Antimicrobial	Pseudomonas aeruginosa	
Antimicrobial	Streptomyces murinus	
Antimicrobial	Bacillus subtilis	
Antimicrobial	Candida albicans	
Antimicrobial	Saccharomyces cerevisiae	
Antimicrobial	Aspergillus niger	

## Apicoryne





Abbildung 1: Apicoryne-Teststreifen mit Keim DSM 41926.

## Apizym




Abbildung 2: Apizym-Teststreifen mit Keim DSM 41926.


**Plates** (65, ISP2, ISP3, ISP4, ISP5, ISP7)



(ISP6, SSM+T, SSM-T)



**Carbon utilization test (from top left to bottom right: glucose, arabinose, sucrose, xylose, inositol, mannose, fructose, rhamnose, raffinose, cellulose)**



**Sodium chloride tolerance test (from top left to bottom right: 0%, 2,5%, 5%, 7,5%, 10%)**

