

Compendium of Actinobacteria from Dr. Joachim M. Wink
University of Braunschweig

| | | |
|----------------------------|---------------------------|---|
| Strain | | DSM 46665 |
| Genus | | <i>Nocardiopsis</i> |
| Species | | <i>sp.</i> |
| Status | | |
| Risk group | | 1 (provisional classification by DSMZ) |
| Type strain | | HA11166, CGMCC 4.7119 |
| Genebank accession numbers | | 16S rRNA gene: JQ799045 |
| Reference | | |
| Author | | Huang, H. Q., Xing, S. S., Yuan, W. D., Wang, Y., Liu, M., Sun, Q. G., Lin, X. Z., Bao, S. X. |
| Title | | <i>Nocardiopsis mangrovei</i> sp. nov., isolated from mangrove sediment |
| Journal | | <i>Antonie Van Leeuwenhoek</i> |
| Volume | | 107 (6) |
| Page | | 1541-6 |
| Year | | 2015 |
| Morphology | | |
| Agar | ISP 2 - growth/G | good |
| Agar | ISP 2 - colony color/R | broom yellow (1032) |
| Agar | ISP 2 - aerial mycelium/A | pure white (9010), sparse |
| Agar | ISP 2 - soluble pigment/S | none |
| Agar | ISP 3 - G | sparse |
| Agar | ISP 3 - R | ivory (1014) |
| Agar | ISP 3 - A | pure white (9010) |
| Agar | ISP 3 - S | none |
| Agar | ISP 4 - G | good |
| Agar | ISP 4 - R | light ivory (1015) |
| Agar | ISP 4 - A | none |
| Agar | ISP 4 - S | none |
| Agar | ISP 5 - G | good |
| Agar | ISP 5 - R | light ivory (1015) |
| Agar | ISP 5 - A | traffic white (9016) |
| Agar | ISP 5 - S | none |
| Agar | ISP 6 - G | good |
| Agar | ISP 6 - R | honey yellow (1005) |
| Agar | ISP 6 - A | none |
| Agar | ISP 6 - S | none |
| Agar | ISP 7 - G | sparse |
| Agar | ISP 7 - R | colourless |
| Agar | ISP 7 - A | none |
| Agar | ISP 7 - S | none |
| Agar | suter with tyrosine - G | good |
| Agar | suter with tyrosine - R | grey beige (1019), sand yellow |

Compendium of Actinobacteria from Dr. Joachim M. Wink
University of Braunschweig

| | | |
|---------------------------|--------------------------------|----------------------------------|
| | | (1002) |
| Agar | suter with tyrosine - A | none |
| Agar | suter with tyrosine - S | maize yellow (1006) |
| Agar | suter without tyrosine - G | good |
| Agar | suter without tyrosine - R | brown beige (1011), ivory (1014) |
| Agar | suter without tyrosine - A | none |
| Agar | suter without tyrosine - S | none |
| | Sporechains/Sporangia | |
| Physiology | | |
| Melanin | | - |
| pH | range | |
| pH | optimum | |
| temperature | range | |
| temperature | optimum | |
| sodium chloride tolerance | | 7,5% |
| lysozyme tolerance | | |
| use of carbohydrates | glucose | + |
| use of carbohydrates | arabinose | + |
| use of carbohydrates | sucrose | ++ |
| use of carbohydrates | xylose | (+) |
| use of carbohydrates | inositol | - |
| use of carbohydrates | mannose | (+) |
| use of carbohydrates | fructose | + |
| use of carbohydrates | rhamnose | ++ |
| use of carbohydrates | raffinose | - |
| use of carbohydrates | cellulose | - |
| Api zym | Phosphatase alcaline | 5 |
| Api zym | Esterase (C4) | 2 |
| Api zym | Esterase Lipase (C8) | 3 |
| Api zym | Lipase (C14) | 1 |
| Api zym | Leucin arylamidase | 5 |
| Api zym | Valine arylamidase | 4 |
| Api zym | Cystine arylamidase | 1 |
| Api zym | Trypsin | 0 |
| Api zym | Chymotrypsin | 0 |
| Api zym | Phosphatase acid | 3 |
| Api zym | Naphtol-AS-BI-phosphohydrolase | 1 |
| Api zym | alpha galactosidase | 0 |
| Api zym | beta galactosidase | 0 |
| Api zym | beta glucuronidase | 0 |
| Api zym | alpha glucosidase | 1 |
| Api zym | beta glucosidase | 1 |
| Api zym | N-acetyl-beta-glucoseamidase | 1 |
| Api zym | alpha mannosidase | 5 |

| | | |
|------------|-------------------------------|---|
| Api zym | alpha fucosidase | 0 |
| Api coryne | nitrate reduction | - |
| Api coryne | Pyrazinamidase | - |
| Api coryne | Pyrrolidonyl arylamidase | - |
| Api coryne | Alkaline phosphatase | + |
| Api coryne | beta glucuronidase | - |
| Api coryne | beta galactosidase | - |
| Api coryne | alpha glucosidase | + |
| Api coryne | N-acetyl -beta glucoseamidase | - |
| Api coryne | Esculin (beta glucosidase) | - |
| Api coryne | Urease | + |
| Api coryne | Gelatine(hydrolysis) | + |
| Api coryne | Glucose fermentation | - |
| Api coryne | Ribose fermentation | - |
| Api coryne | Xylose fermentation | - |
| Api coryne | Mannitol fermentation | - |
| Api coryne | Maltose fermentation | - |
| Api coryne | Lactose fermentation | - |
| Api coryne | Sucrose fermentation | - |
| Api coryne | Glycogen fermentation | - |

Apicoryne




Abbildung 1: Apicoryne-Teststreifen mit Keim DSM 46665.

Apizym





Abbildung 2: Apizym-Teststreifen mit Keim DSM 46665.



Plates (514, ISP2, ISP3, ISP4, ISP5, ISP7)



(ISP6, ISP7, SSM+T, SSM-T)



Carbon utilization test (from top left to bottom right: glucose, arabinose, sucrose, xylose, inositol, mannose, fructose, rhamnose, raffinose, cellulose)



**Sodium chloride tolerance test (from top left to bottom right: 0%, 2,5%, 5%,
7,5%, 10%)**

