

Compendium of Actinobacteria from Dr. Joachim M. Wink
University of Braunschweig

Strain		DSM 46679
Genus		<i>Gordonia</i>
Species		<i>didemni</i>
Status		
Risk group		1 (provisional classification by DSMZ)
Type strain		B204, CBMAI 1069
Genbank accession numbers		16S rRNA gene: JN615417
Reference		
Author		de Menezes, C. B., Afonso, R. S., de Souza, W. R., Parma, M., de Melo, I. S., Zucchi, T. D., Fantinatti-Garboggini, F.
Title		<i>Gordonia didemni</i> sp. nov. an actinomycete isolated from the marine ascidium <i>Didemnum</i> sp.
Journal		<i>Antonie Van Leeuwenhoek</i>
Volume		109 (2)
Page		297-303
Year		2016
Author		Oren, A., Garrity, G. M.
Title		List of new names and new combinations previously effectively, but not validly, published
Journal		<i>International Journal of Systematic and Evolutionary Microbiology</i>
Volume		66 (5)
Page		1913-1915
Year		2016
Morphology		
Agar	ISP 2 - growth/G	good
Agar	ISP 2 - colony color/R	pastel yellow (1034)
Agar	ISP 2 - aerial mycelium/A	none
Agar	ISP 2 - soluble pigment/S	none
Agar	ISP 3 - G	sparse
Agar	ISP 3 - R	beige red (3012)
Agar	ISP 3 - A	none
Agar	ISP 3 - S	none
Agar	ISP 4 - G	sparse
Agar	ISP 4 - R	beige red (3012)
Agar	ISP 4 - A	none
Agar	ISP 4 - S	none
Agar	ISP 5 - G	sparse- good
Agar	ISP 5 - R	salmon pink (3022)
Agar	ISP 5 - A	none

Compendium of Actinobacteria from Dr. Joachim M. Wink
University of Braunschweig

Agar	ISP 5 - S	none
Agar	ISP 6 - G	good
Agar	ISP 6 - R	pastel yellow (1034)
Agar	ISP 6 - A	none
Agar	ISP 6 - S	none
Agar	ISP 7 - G	sparse
Agar	ISP 7 - R	salmon orange (2012)
Agar	ISP 7 - A	none
Agar	ISP 7 - S	none
Agar	suter with tyrosine - G	good
Agar	suter with tyrosine - R	signal orange (2010)
Agar	suter with tyrosine - A	none
Agar	suter with tyrosine - S	none
Agar	suter without tyrosine - G	sparse- good
Agar	suter without tyrosine - R	salmon pink (3022)
Agar	suter without tyrosine - A	none
Agar	suter without tyrosine - S	none
	Sporechains/Sporangia	
Physiology		
Melanin		-
pH	range	
pH	optimum	
temperature	range	
temperature	optimum	
sodium chloride tolerance		5%
lysozyme tolerance		
use of carbohydrates	glucose	+
use of carbohydrates	arabinose	-
use of carbohydrates	sucrose	++
use of carbohydrates	xylose	-
use of carbohydrates	inositol	-
use of carbohydrates	mannose	+
use of carbohydrates	fructose	+
use of carbohydrates	rhamnose	+
use of carbohydrates	raffinose	-
use of carbohydrates	cellulose	-
Api zym	Phosphatase alkaline	3
Api zym	Esterase (C4)	2
Api zym	Esterase Lipase (C8)	3
Api zym	Lipase (C14)	0
Api zym	Leucin arylamidase	5
Api zym	Valine arylamidase	2
Api zym	Cystine arylamidase	1
Api zym	Trypsin	0

Api zym	Chymotrypsin	0
Api zym	Phosphatase acid	3
Api zym	Naphtol-AS-BI-phosphohydrolase	2
Api zym	alpha galactosidase	0
Api zym	beta galactosidase	0
Api zym	beta glucuronidase	0
Api zym	alpha glucosidase	5
Api zym	beta glucosidase	5
Api zym	N-acetyl-beta-glucoseamidase	0
Api zym	alpha mannosidase	0
Api zym	alpha fucosidase	0
Api coryne	nitrate reduction	+
Api coryne	Pyrazinamidase	-
Api coryne	Pyrrolidonyl arylamidase	-
Api coryne	Alkaline phosphatase	-
Api coryne	beta glucuronidase	-
Api coryne	beta galactosidase	-
Api coryne	alpha glucosidase	+
Api coryne	N-acetyl -beta glucoseamidase	-
Api coryne	Esculin (beta glucosidase)	-
Api coryne	Urease	-
Api coryne	Gelatine(hydrolysis)	-
Api coryne	Glucose fermentation	-
Api coryne	Ribose fermentation	-
Api coryne	Xylose fermentation	-
Api coryne	Mannitol fermentation	-
Api coryne	Maltose fermentation	-
Api coryne	Lactose fermentation	-
Api coryne	Sucrose fermentation	-
Api coryne	Glycogen fermentation	-

Apicoryne




Abbildung 1: Apicoryne-Teststreifen mit Keim DSM 46679.

Apizym




Abbildung 2: Apizym-Teststreifen mit Keim DSM 46679.



Plates (553, ISP2, ISP3, ISP4, ISP5, ISP7)



(ISP6, ISP7, SSM+T, SSM-T)



Carbon utilization test (from top left to bottom right: glucose, arabinose, sucrose, xylose, inositol, mannose, fructose, rhamnose, raffinose, cellulose)



**Sodium chloride tolerance test (from top left to bottom right: 0%, 2,5%, 5%,
7,5%, 10%)**

